


HDPE Koleno 11, 22, 30, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



## SDR 6 - PN 32


SDR 6				
d	s	le	r	z
90	15.0	80	152	116
110	18.3	90	165	134
125	20.8	90	188	140
140	23.2	90	210	146
160	26.6	100	240	164
180	29.9	100	270	172
200	33.2	100	300	180
225	37.4	100	338	191
250	41.5	150	375	250
280	46.5	150	420	262
315	52.3	150	477	278

HDPE Koleno 11, 22, 30, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



## SDR 7.4 - PN 25


SDR 7.4				
d	s	le	r	z
90	12.3	80	152	116
110	15.1	90	165	134
125	17.1	90	188	140
140	19.2	90	210	146
160	21.9	100	240	164
180	24.6	100	270	172
200	27.4	100	300	180
225	30.8	100	338	191
250	34.0	150	375	250
280	38.3	150	420	262
315	43.1	150	477	278
355	48.5	180	533	323
400	54.7	180	600	341
450	61.5	200	675	381

HDPE Koleno 11, 22, 30, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



## SDR 9 - PN 20


SDR 9				
d	s	le	r	z
90	10.1	80	152	116
110	12.3	90	165	134
125	14.0	90	188	140
140	15.7	90	210	146
160	17.9	100	240	164
180	20.1	100	270	172
200	22.4	100	300	180
225	25.2	100	338	191
250	27.9	150	375	250
280	31.3	150	420	262
315	35.2	150	477	278
355	39.7	180	533	323
400	44.7	180	600	341
450	50.3	200	675	381
500	55.8	200	750	401

HDPE Koleno 11°, 22°, 30°, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



## SDR 26 - PN 6


SDR 26				
d	s	le	r	z
90	3.5	80	152	116
110	4.2	90	165	134
125	4.8	90	188	140
140	5.4	90	210	146
160	6.2	100	240	164
180	6.9	100	270	172
200	7.7	100	300	180
225	8.6	100	338	191
250	9.6	150	375	250
280	10.7	150	420	262
315	12.1	150	477	278
355	13.6	180	533	323
400	15.3	180	600	341
450	17.2	200	675	381
500	19.1	200	750	401
560	21.4	250	840	475
630	24.1	250	945	503

HDPE Koleno 11, 22, 30, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



## SDR 17 - PN 10


SDR 17				
d	s	le	r	z
90	5.4	80	152	116
110	6.6	90	165	134
125	7.4	90	188	140
140	8.3	90	210	146
160	9.5	100	240	164
180	10.7	100	270	172
200	11.9	100	300	180
225	13.4	100	338	191
250	14.8	150	375	250
280	16.6	150	420	262
315	18.7	150	477	278
355	21.1	180	533	323
400	23.7	180	600	341
450	26.7	200	675	381
500	29.7	200	750	401
560	33.2	250	840	475
630	37.4	250	945	503

HDPE Koleno 11, 22, 30, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



## SDR 26 - PN 6


SDR 26				
d	s	le	r	z
90	3.5	80	152	116
110	4.2	90	165	134
125	4.8	90	188	140
140	5.4	90	210	146
160	6.2	100	240	164
180	6.9	100	270	172
200	7.7	100	300	180
225	8.6	100	338	191
250	9.6	150	375	250
280	10.7	150	420	262
315	12.1	150	477	278
355	13.6	180	533	323
400	15.3	180	600	341
450	17.2	200	675	381
500	19.1	200	750	401
560	21.4	250	840	475
630	24.1	250	945	503

HDPE Koleno 11, 22, 30, segmentiran

Materijal: PE-HD(PE 100)  
 Boja: plava ili crna  
 Radijus: 1.5 x da  
 Dimenzije: DIN 16963/2  
 Namena: za čeono zavarivanje

HDPE Bend 11°, 22°, 30°, segment weld

Material: PE-HD(PE 100)  
 Color: blue or black  
 Radijus: 1.5 x da  
 Dimension: DIN 16963/1  
 Namena: for but welding



#### SDR 41 - PN 4

SDR 41				
d	s	le	r	z
90	2.2	80	152	116
110	2.7	90	165	134
125	3.1	90	188	140
140	3.5	90	210	146
160	4.0	100	240	164
180	4.4	100	270	172
200	4.9	100	300	180
225	5.5	100	338	191
250	6.2	150	375	250
280	6.9	150	420	262
315	7.7	150	477	278
355	8.7	180	533	323
400	9.8	180	600	341
450	11.0	200	675	381
500	12.3	200	750	401
560	13.7	250	840	475
630	15.4	250	945	503